

# SCREWS



**NEBRASKA-IOWA  
INDUSTRIAL  
FASTENERS CORP.**

[www.neiafasteners.com](http://www.neiafasteners.com)

E-Mail: [orders@neiafasteners.com](mailto:orders@neiafasteners.com)

**1-800-782-6342**

8530 "K" Street

Omaha, NE 68127

**Phone:** (402) 592-4988

**Fax:** (402) 592-9271

8116 U.S. Highway 166  
Arkansas City, KS 67005

**Phone:** (620) 442-7526

**Fax:** (620) 442-7583



[www.nfc-usa.com](http://www.nfc-usa.com)

E-Mail: [orders@nfc-usa.com](mailto:orders@nfc-usa.com)

**1-800-786-4658**

1817 Jasper Street

Kansas City, MO 64116

**Phone:** (816) 221-8885

**Fax:** (816) 472-5555

2335 B-104 E. Chestnut Expwy.  
Springfield, MO 65802

**Phone:** (417) 865-6246

**Fax:** (417) 865-0596

# NOTES

# Screws Section IV

## ACCESSORIES

4-in-one Screwdriver	22
Magnetic Chuck	21
Phillips Bits	21
Quick Change Magnetic Bit Holder	21
Slotted Bits	21
Spanner Bits	22
Square Drive Bit	22
Square Recess	22
Torx Bits	21
Torx-Pin Bit	22

## CONSTRUCTION SCREWS

Coarse Drywall Screw	9
Hex Head Slotted Tapmark Screw	9
Phillips Bugle Head Drywall Screw	9
Phillips Flat Head Deck Wood Screw	9
Starhead Multi-purpose Screw	9
Woodex Screw	9
Square Drive Bit for Woodex	9

## FLOOR SCREWS

Torx Drive Flat Head	20
Torx Drive Pan Head	20
Torx Drive Truss Head	20

## LAG SCREWS (Plated)

Hex Head	19
Shields	19

## MACHINE SCREWS (Plated)

Hex Head	14
Kep's Lock Nuts	16
Machine Nuts	16
Phillips Flat Head	15
Phillips Oval Head	16
Phillips Pan Head	13
Phillips Truss Head	14
Slotted Flat Head	15
Slotted Oval Head	16
Slotted Pan Head	13
Slotted Round Head	12
Slotted Truss Head	14
Type P Plated Thumb Screw	17
Type S Plated Thumb Screw	17

## SELF DRILLING SCREWS

Indented Hex Head	7
Indented Hex Head w/Neoprene Washer	7
Phillips Modified Truss Head	8
Phillips Oval Head w/Washer	8
Phillips Oval Head	
w/Free Spinning Washer	8
Phillips Pan Head	8
Phillips Oval Head	8
Self Drilling Liner Screws	8
Wall Liner	8
Wing Tek	8

## TAPPING SCREWS

Hex Head w/Attached Washer Head Zinc	5
Hex Head Zinc	5
Phillips Flat Head Zinc	4
Phillips Oval Head Black	3
Phillips Oval Head Chrome	3
Phillips Oval Head Zinc	2
Phillips Pan Head	1
Phillips Pan Head Black	4
Phillips Truss Head Zinc	4
Phillips Washer Head Black	4
Rapid Penetrating Screw	
Slotted Hex Washer Head	6
Truss Washer Head	6
Sems Flush Phillips Washer Head Black	6
Sems Phillips Washer Head Black	6
Sems Washer Head Chrome	6
Slotted Indented Washer Hex Head	5
Slotted Pan Head	1
Square Head	1

## THREAD CUTTING SCREWS

Hex Head Washer	10
Slotted Pan Head	10
Phillips Pan Head	10

## WASHERS

Neoprene (Bonded)	7
-------------------	---

## WOOD SCREWS (Plated)

Slotted Flat Head	18
Phillips Flat Head	18
Slotted Round Head	18

# NOTES

# TAPPING SCREWS

**Slotted Pan Head Plated Tapping Screws**



		Diameter					
		4	6	8	10	12	14
L E N G T H	1/4	82010	82020	82045	82060		
	3/8	82011	82021	82046	82061	82075	
	1/2	82012	82022	82047	82062	82076	82090
	5/8	82013	82023	82048	82063	82077	82091
	3/4	82014	82024	82049	82064	82078	82092
	7/8			82050	82065	82079	82093
	1		82026	82051	82066	82080	82094
	1-1/4		82027	82052	82067	82081	82095
	1-1/2		82028	82053	82068	82082	82096
	1-3/4			82054	82069	82083	82097
	2			82055	82070	82084	82098
	2-1/2				82072	82085	82099
	3				82073		82100

**Phillips Pan Head Plated Tapping Screws**




		Diameter					
		4	6	8	10	12	14
L E N G T H	1/4	82120	82130				
	3/8	82121	82131	82145	82160		
	1/2	82122	82132	82146	82161	82175	82190
	5/8		82133	82147	82162	82176	82191
	3/4		82134	82148	82163	82177	82192
	7/8			82149	82164		
	1		82136	82150	82165	82179	82193
	1-1/4		82137	82151	82166	82180	82194
	1-1/2			82152	82167	82181	82195
	1-3/4			82153	82168	82182	82196
	2			82154	82169	82183	82197
	2-1/2			82156		82185	82198
	3			82158			82199

**Square Head Plated Tapping Screws**




		Diameter					
		4	6	8	10	12	14
L E N G T H	1/4						
	3/8						
	1/2			82814			
	5/8						
	3/4			82816	82830		
	7/8						
	1			82817	82832		
	1-1/4						
	1-1/2			82819			
	1-3/4						
	2			82821			
	2-1/2			82823			
	3			82825			

# TAPPING SCREWS



**Phillips Zinc Oval Head  
Tapping Screw**



		Diameter								
		10	10	10	12	12	12	14	14	14
Head Size		#6	#8	#10	#8	#10	#12	#10	#12	#14
Length	1/2				82325*		82327*	82355*		82357*
	5/8								82359*	82360*
	3/4					82332*	82333*			
	1						82339*			
	1-1/4				82340*		82341*			
	1-1/2		82301*	82302*		82343*	82344*	82371*		
	1-3/4		82304*	82305*				82374*		
	2	82306*								
	2-1/2			82313*						

**\*Discontinued Items**

# TAPPING SCREWS



**Phillips Chrome Oval Head  
Tapping Screw**



		Diameter						
Head Size		4	6	8	8	10	10	10
L E N G T H	#4	#4	#6	#6	#8	#6	#8	#10
	3/8	82201	82210	82220	82221		82276*	82277
	1/2	82202	82211	82222	82223	82278	82279	82280
	5/8	82203	82212	82224	82225	82281	82282	82283
	3/4	82204	82213	82226	82227	82284	82285	82286
	7/8	82205*		82228	82229			
	1	82206	82215	82230	82231	82290	82291	82292
	1-1/8		82216*	82232	82234			82293
	1-1/4		82217	82235	82236	82294	82296	82297
	1-1/2			82237	82239	82300		
	1-3/4			82240				
2								

*\*Discontinued Items*

**Phillips Black Oval Head  
Tapping Screw**



		Diameter				
Head Size		6	8	8	10	10
L E N G T H	#6	#6	#8	#8	#10	#10
	1/2	82421	82425	82426	82441	82440
	3/4	82422	82427	82428	82442	82443
	1	82423	82429	82430	82444	82445
	1-1/8	82424				
	1-1/4		82431	82432	82446	82447
1-1/2		82433	82434	82448	82449	

# TAPPING SCREWS

**Phillips Black Pan Head Tapping Screw**



Length	Diameter		
	6	8	10
1/2	82515	82525	82535
3/4	82516	82526	82536
1	82517	82527	82537
1-1/4	82518	82528	82538
1-1/2		82529	

**Phillips Zinc Truss Tapping Screw**



Length	Diameter
	10
1/2	82681
3/4	82682

**Phillips Black Washer Head Tapping Screw**



	Length	Diameter	
		8	10
L	1/2	82610	
E	5/8	82612	
N	3/4	82613	82619
G	1	82615	82620
T	1-1/4	82616	82621
H	1-1/2	82617	

**Phillips Flat Head Zinc Tapping Screw**



	Length	Diameter				
		6	8	10	12	14
L E N G T H	1/2	83354	83358	83375	83376	83382
	5/8	83348	83349			
	3/4	83355	83359	83366	83377	83383
	1	83356	83360	83367	83378	
	1-1/4		83361	83368		
	1-1/2	83357	83362	83369		
	1-3/4		83363			
	2		83364		83381	
	2-1/2					83390
	3		83365			

# TAPPING SCREWS

## Hex Head Zinc Tapping Screw



		Diameter		
		1/4	5/16	3/8
L	Hex Size	*3/8-7/16	1/2	9/16
E	1/2	82950		
N	3/4	82952	82965	82980
G	1	82954	82967	82982
T	1-1/4	82955	82968	82983
H	1-1/2	82956	82969	82984
	2	82958	82971	82986

\* Hex Size Varies

## Slotted Hex Head Self Tapping Screw



		Diameter					
		4	6	8	10	12	14
L	Hex Size	3/16	1/4	1/4	5/16	5/16	3/8
E	1/4						
N	3/8			83009	83019		
G	1/2		83001	83010	83020	83030	83040
T	5/8		83002	83011	83021	83031	
H	3/4		83003	83012	83022	83032	83042
	1		83005	83014	83024	83034	83044
	1-1/4			83015	83025	83035	83045
	1-1/2		83007	83016	83026	83036	83046
	2			83017	83027	83037	83047

- Slotted
- Indented Hex Head
- Washer Face
- Zinc Plated

## Hex Head with Attached Washer Head Zinc Tapping Screw



		Diameter				
		8	10	12	14	5/16
L	Hex Size	1/4	5/16	5/16	3/8	7/16
E	1/2	83060	83070	83080	83090	
N	3/4	83062	83072	83082	83092	83100
G	1	83064	83074	83084	83094	83102
T	1-1/4	83065	83075	83085	83095	83103
H	1-1/2	83066	83076	83086	83096	83104

# TAPPING SCREWS

**Chrome Sems Washer Head Tapping Screw**



**Black Sems Phillips Washer Head Tapping Screw**



**Black Sems Flush Phillips Washer Head Tapping Screw**



LENGTH	Head Size	Diameter	
		#8	#8
5/8		82710	
3/4		82711	82720
1		82713	82722
1-1/4			82724
1-1/2		82715	

Length	Diameter	
	8	10
5/8	82750	
3/4	82751	82760
1	82753	82762
1-1/4	82754	

Length	Diameter
	8
1/2	82790
5/8	82791
11/16	82792
1	82793
1-1/4	82794

**Rapid Penetrating Screw Slotted Hex Washer Head**



- Zinc plated

Part Number	Size	Hex Size
88381	7 X 1/2	1/4

**Rapid Penetrating Screw Phillips Truss Washer Head**



- Zinc plated

Length	Diameter
	8
1/2	88371

# SELF DRILLING SCREWS

## Indented Hex Washer Head

- Self Drilling Point
- Climaseal Finish unless noted

\* Bright zinc



		Diameter				
		6*	8*	10	12	14
Hex Size		1/4	1/4	5/16	5/16	3/8
L E N G T H	1/2		83215*	83225		
	3/4		83217*	83226	83235	83250
	1	83210*	83219*	83228	83237	83252
	1-1/4		83221*	83229	83238	83254
	1-1/2		83223*	83231	83239	83255
	2			83233	83241	83256
	2-1/2				83242	83258
	3					83260

## Indented Hex Head Self Drilling Screw with Neoprene Washer



Climaseal Finish unless noted

\* Bright zinc

		Diameter		
		10	12	14
Hex Size		5/16	5/16	5/16
L E N G T H	3/4	83314	83323	83335
	7/8			83336
	1	83315*	83325	83337
	1-1/4		83326	83338
	1-1/2		83327	83339
	2		83329	
	2-1/2		83331*	

## Hex Indented Washer Head

- Self Drilling Point
- Fine Thread
- Long Point

\* Bright Zinc



Part Number	Size	Point
83265	12-24x1-1/4	4.5
83266*	12-24x1-1/2	4
83267*	12-24 x 2	5

## Neoprene Washer

- Galvanized




Part Number	Screw Size	Outside Diameter
83341	#8, #10	1/2"
83342	#12, #14	5/8"
83346	5/16"	3/4"
83347*	3/8"	3/4"

\*Part No. 83347 is stainless steel.

## Overhead Door Screw

- Indented Hex Hd.
- Serrated Washer Face
- Self Drilling
- Climaseal Finish
- Oversize head



**#83253**  
**14 x 1"**  
**7/16" Hex size**

# SELF DRILLING SCREWS

## Phillips Oval Head

- Self Drilling Point
- Free Spinning Washer
- Black Painted Finish



Length	Diameter
5/8	8
3/4	82781
1	82783

## Phillips Pan Head

- Self Drilling Point
- Zinc Plated



Length	Diameter				
	6	8	10	12	14
1/2		83174	83184		
3/4	83164	83176	83188		83202
1	83166	83178	83190	83196	
1 1/2			83192		

## Phillips Oval Head

- Self Drilling Point
- Zinc Plated



Length	Diameter
1-1/4	83353

## Phillips Modified Truss Head

- Self Drilling Point
- Zinc or Black Plated



Length	Diameter	Black	Zinc
1/2	8		83344
3/4	8	83304	83302
1	8	83306	83305
1-1/4	8	83308	83307

## Wall Liner Screw

- Self Drilling Point
- Zinc Plated



Part Number	Size	Head Style
83345	10 x 1	Phillips Wafer
83350	10 x 1	Torx Wafer
83351	10 x 1-1/4	Torx Wafer
83352	10 x 1-1/2	Torx Wafer

## Self Drilling Liner Screws

- Self Drilling Point
- Zinc Yellow Plated



Part Number	Size	Head Style
83311	10-16 x 3/4	Phillips Wafer
83312	10-16 x 1	Phillips Wafer

## Wing Tek

- Self Drilling Point
- Zinc Plated



Part Number	Size	Head Style
83397	1/4-20 x 2-3/4	Phillips Flat Head
83398	1/4-20 x 3	Phillips Flat Head

# CONSTRUCTION SCREWS

## Phillips Flat Head Deck Wood Screw



Mechanically Galvanized for maximum Weather Resistance.

Length	Diameter		SS
	6	8	
1-1/4	88310		103330
1-5/8	88312		
2			103332
2-1/2		88318	103333
3		88320	

## Woodex Screws



Part Number	Size
88155	7 x 1-1/4
88156	8 x 1-3/8
88157	8 x 1-5/8
88158	9 x 2
88159	9 x 2-1/2
88160	9 x 3
88161	10 x 4
88162	10 x 5
88163	10 x 6

## Phillips Bugle Head Dry Wall Screw



Black

Length	Diameter	
	6	8
1	88340	
1-1/4	88342	
2	88346	
3		88350

## Square Drive Bit

Part No. 88164

Size #2

Use with woodex screws.



## Coarse Dry Wall Screw

Black



Part Number	Size
88341	6 X 1
88351	6 X 1-1/4
88343	6 X 1-1/2
88345	6 X 1-5/8
88352	6 X 2-1/2
88347	8 X 2-1/2
88349	8 X 3

## Hex Head Slotted Tapmark

- 5/16" Hex
- For concrete.
- 3/16 Tapmarks take 5/32 and 1/4 Tapmarks take 3/16 Carbide Tipped Masonry Drill Bit



## Starhead Multi Purpose Screw


Self-tapping, Countersunk head, W-Cut thread design, Zip-Tip, and Climatex plated. For use in wood, particle-board, cement fibreboard, plastic, sheet metal etc.

88170	8 X 1	Multi Purpose
88171	8 X 1-1/2	Multi Purpose
88172	9 X 2	Multi Purpose
88173	9 X 2-1/2	Multi Purpose
88174	9 X 3-1/8	Multi Purpose

Part Number	Size
88332	1/4 x 1-1/4
88333	1/4 x 1-3/4
88334	1/4 x 2-1/4
88336	1/4 x 2-3/4
88337	1/4 x 3-1/4


# THREAD CUTTING SCREWS

**Hex Head Washer  
Thread Cutting Screw  
Type F**




		Diameter						
		6-32	8-32	10-24	12-24	1/4-20	5/16	3/8-16
Hex Size		1/4	1/4	5/16	5/16	3/8	1/2	9/16
LENGTH	1/4	83415						
	3/8		83429	83439				
	1/2	83417	83430	83440	83450	83460	83470	
	5/8					83461		
	3/4	83419	83432	83442	83452	83462	83472	83480
	1	83421	83434	83444	83454	83464	83474	83482
	1-1/4					83465	83475	83483
	1-1/2							83484

**Slotted Pan Head  
Thread Cutting Screw  
Type F**



Length	Diameter			
	6-32	8-32	10-24	1/4-20
1/4	83485			
1/2	83486	83489	83491	
3/4		83490	83492	83494
7/8	83487			
1	83488		83493	83495

**Phillips Pan Head  
Thread Cutting Screw  
Type F**



Length	Diameter	
	8-32	10-24
1/4	83497	
3/8	83498	
1/2	83499	
1		83610
1 1/4		83611
1 1/2		83612



# PLATED MACHINE SCREWS



**Slotted Round Head  
Plated Machine Screw**



		Diameter					
		2-56	3-48	4-40	5-40	6-32	8-32
L E N G T H	3/16				85061		
	1/4	85002	85015	85042	85062	85082	85110
	3/8	85003	85016	85044	85064	85084	85113
	1/2	85004	85017	85046	85066	85086	85115
	5/8	85005		85047		85087	
	3/4		85019	85048	85068	85088	85117
	1			85050		85091	85119
	1-1/4					85093	85121
	1-1/2					85094	85122
	2					85096	85124
	2-1/2						85126
	2-3/4						85127
	3					85100	85128
	4					85102	

		Diameter					
		10-24	10-32	12-24	1/4-20	5/16-18	3/8-16
L E N G T H	1/4	85141	85171				
	3/8	85143	85173		85228		
	1/2	85145	85175	85205	85229	85257	85280
	3/4	85147	85177	85207	85231	85258	85282
	1	85149	85179	85209	85233	85260	85283
	1-1/4	85151	85181	85211	85235	85262	85284
	1-1/2	85152	85182	85212	85236	85263	85285
	1-3/4		85183		85237		85286
	2	85154	85184	85213	85238	85265	85287
	2-1/4	85155			85239		
	2-1/2	85156	85186		85240	85267	85288
	3	85158	85188		85242	85269	85289
	3-1/2	85160			85244	85270	85290
	4	85161			85245	85271	85291
5	85164			85247	85273	85293	
6	85167			85249	85275	85295	85314

# PLATED MACHINE SCREWS



**Slotted Pan Head  
Plated Machine Screw**

		Diameter					
		4-40	6-32	8-32	10-24	10-32	1/4-20
L E N G T H	1/8	85371					
	3/16			85410			
	1/4	85372	85382	85411	85441	85471	
	5/16					85472	
	3/8	85373	85384	85413	85443	85473	85482
	1/2		85386	85415	85445	85475	85483
	5/8		85387	85416		85476	
	3/4	85375	85388	85417	85447	85477	85484
	1		85391	85419	85449	85479	85485
	1-1/4		85392	85420	85450	85480	85486



**Phillips Pan Head  
Plated Machine Screw**

		Diameter						
		6-32	8-32	10-24	10-32	12-24	1/4-20	5/16-18
L E N G T H	1/4	85601	85611		85651			
	3/8	85602	85613	85640	85652		85728	
	1/2	85605	85615	85641	85653	85665	85729	
	5/8		85616					
	3/4	85607	85617	85643	85654	85669	85731	85740
	1	85608	85619	85645	85655		85733	85743
	1-1/4	85609	85620	85646			85735	
	1-1/2	85610	85621	85647	85657		85736	85746
	2	85612	85622	85649	85659		85737	
	2-1/2	85614	85623	85648	85660		85738	
	3	85618	85624	85650	85661		85739	
	3-1/2						85741	
	4		85625	85656	85662		85742	

# PLATED MACHINE SCREWS

**Hex Head  
Plated Machine  
Screw**



Length	Diameter		
	8-32	10-24	10-32
1/2	84089	84094	84093
3/4	84090	84096	84095
1	84091	84098	84097
1-1/4	84092		84099
1-1/2		84102	84100

**Slotted Truss  
Plated Machine Screw**



		Diameter						
		6-32	8-32	10-24	10-32	1/4-20	5/16-18	3/8-16
L E N G T H	1/4		86230					
	1/2			86245		86270		
	5/8					86271		
	3/4			86247		86272		86281
	1			86248		86274	86279	86282
	1-1/2			86252		86276		
	2			86254	86256			
	3	86225						
	4	86227						

**Phillips Truss  
Plated Machine Screw**



Length	Diameter				
	10-24	10-32	10-32	1/4-20	1/4-20
1/2	86355	86365		86375	
3/4	86357	86367		86376	
1	86358		86384 Black	86377	86378 Black

# PLATED MACHINE SCREWS



**Slotted Flat Head  
Plated Machine  
Screw**

		Diameter				
		6-32	8-32	10-24	10-32	12-24
L E N G T H	1/4	85883	85912		85972	
	3/8	85884	85913		85973	
	1/2	85886	85915	85945	85975	85990
	3/4	85888	85917	85947	85977	85992
	1	85891	85919	85949	85979	85993
	1-1/4		85921	85951	85981	85994
	1-1/2	85893	85922	85952	85982	
	2	85894		85953		



		Diameter				
		1/4-20	5/16-18	3/8-16	1/2-13	5/8-11
L E N G T H	1/2	86029	86056	86080		
	3/4	86031	86058	86083		
	1	86036	86060	86084	86102	86123
	1-1/4	86037	86061	86085	86103	
	1-1/2	86038	86063	86086	86104	86125
	1-3/4				86105	
	2	86040	86065	86088	86106	86127
	2-1/2	86042	86067	86090	86108	
	3	86043	86069	86092	86110	
	3-1/2	86045		86093		
4		86071				

**Phillips Flat  
Head  
Plated Machine  
Screw**



		Diameter		
		8-32	10-32	1/4-20
L E N G T H	1/4	86611		
	3/8	86613		
	1/2	86615	86675	
	5/8	86616		
	3/4	86617	86677	86731
	1	86619	86679	86733
	1-1/4			86735
	1-1/2		86682	86736

# PLATED MACHINE SCREWS



**Phillips Oval Head  
Plated Machine Screw**



		Diameter						
		4-40	6-32	8-32	10-24	10-32	12-24	1/4-20
L E N G T H	3/8			86410				
	1/2		86386	86411	86445	86475	86505	86530
	5/8			86416				
	3/4		86388	86417	86447	86477	86507	86531
	1		86391	86419	86449	86479	86509	86533
	1-1/4							86534
	1-1/2			86422	86451		86511	86535
	2						86512	
	2-1/4							

**Slotted Oval Head  
Plated Machine Screw**



**Machine Screw Nuts  
& Keps Nuts**



		Diameter		
		8-32	10-32	1/4-20
L E N G T H	1/2	86540	86548	
	5/8	86541		
	3/4	86542	86549	86554
	1			86555
	1-1/2	86545	86550	
	2	86547	86552	

Machine Screw Nut Part Number	Bolt Size	"K" Lock Part Number
87002	2-56	
87004	3-48	
87009	4-40	
87011	5-40	
87012	6-32	94750
87014	8-32	94752
87016	10-24	94754
87017	10-32	94755
87018	12-24	

# PLATED MACHINE SCREWS



**Type S Thumb  
Plated Machine Screw**



Length	Diameter					
	6-32	8-32	10-32	1/4-20	5/16-18	3/8-16
1/2	86800	86815	86822	86830		
3/4	86803	86818	86824		86850	
1			86826	86838	86852	86860
1-1/2					86854	86864



**Type P Thumb  
Plated Machine Screw**



Length	Diameter		
	10-24	1/4-20	3/8-16
1/2	86930	86940	
3/4	86933	86942	
1	86935	86944	86975
1-1/4		86945	
1-1/2		86946	86977
2			86980

# PLATED WOOD SCREWS

**Slotted Flat Head  
Plated Wood Screw**



		Diameter							
		5	6	7	8	10	12	14	18
L E N G T H	1/2	88000	88004		88009				
	3/4	88001	88005	88002	88010	88020	88030		
	1		88006	88003	88012	88022	88032	88044	
	1-1/4				88013	88023		88045	
	1-1/2				88014	88024	88034	88046	
	2				88016	88026	88036	88048	
	2-1/2					88029	88038	88050	
	3							88052	
	4							88080	

**Phillips Flat Head  
Plated Wood Screw**



		Diameter				
		6	8	10	12	14
L E N G T H	1/2	88100	88103			
	5/8		88125			
	3/4	88101	88104	88112		
	1	88102	88105	88113	88119	
	1-1/4	88097	88106	88114		88122
	1-1/2	88098	88107	88115	88120	88123
	1-3/4		88108			
	2	88099	88109	88116	88121	88124
	2-1/2		88110	88117		
	3		88111	88118		
	3-1/2			88126		
	4				88127	

**Slotted Round  
Head  
Plated Wood  
Screw**



		Diameter					
		4	6	8	10	12	14
L E N G T H	3/8	88130					
	1/2				88137		
	5/8			88133			
	3/4		88131				
	1				88138		88144
	1-1/2				88139	88143	88146
	2			88134	88140		88148
	2-1/2		88132	88135	88141		88150
	3			88136	88142		88152

# PLATED LAG SCREWS

**Hex Head  
Plated Lag Screw**



		Diameter			
		1/4	5/16	3/8	1/2
L E N G T H	1	88206	88223	88243	
	1-1/4		88221		
	1-1/2	88208	88224	88244	
	2	88210	88225	88245	88267
	2-1/2	88212	88227	88247	
	3	88214	88229	88249	88269
	3-1/2	88216	88231	88251	88270
	4	88218	88233	88253	88273
	4-1/2	88219	88234	88254	88275
	5	88220	88237	88257	88277
	6			88259	88281
8			88266		

**Shields**



Part Number	Description
88300	1/4
88301	1/4 - LONG
88302	5/16
88303	5/16 - LONG
88304	3/8
88305	3/8 - LONG
88306	1/2
88307	1/2 - LONG

**Ask Your  
Sales Representative  
About Our  
Custom Made Assortments.  
Stock Only the Sizes You Use!**

# TORX DRIVE SCREWS

**Torx Drive, Flat Head Floor Screw**




	Torx Size	Diameter	
		1/4-20	5/16-18
L E N G T H	1	88509	
	1-1/4	88510	88534
	1-1/2	88511	
	2	88513	88536
	2-1/4	88514	
	2-1/2	88515	88538
	3	88517	88540
	3-1/2	88519	
	4	88521	
	4-1/2	88522	
	5	88523	
6	88525		

**Torx Drive, Pan Head Floor Screw**



	Torx Size	Diameter	
		1/4	5/16
L E N G T H	1	88548	88559
	1-1/4		88560
	1-1/2	88550	
	2	88554	88562
	2-1/2		88564

**Torx Drive, Truss Head Floor Screw**



	Diameter
Torx Size	1/4
1-1/2	88584
2	88588
2-1/2	88594

**Ask Your  
Sales Representative  
About Our  
Custom Made Assortments.  
Stock Only the Sizes You Use!**

# ACCESSORIES

## Magnetic Hex Driver



Part No.	Overall Length	Hex Size	Shank Size
83500	1-5/8"	1/4"	1/4"
83501	1-5/8"	5/16"	1/4"
83502	1-7/8"	3/8"	1/4"
83503	2"	7/16"	1/4"
83505	2-9/16"	1/4"	1/4"
83506	2-9/16"	5/16"	1/4"
83507	2-9/16"	3/8"	1/4"
83508	2-9/16"	7/16"	1/4"

## Quick Change Magnetic Bit Holder



- Easy to Use - Push ahead the collar and insert or take out the bit.
- Use with any standard 1/4" drive.
- Industrial grade construction.

Part No.	O.D.	Overall Length
83550	9/16"	2-1/8"

## Magnetic Bit Holder

For 1/4" Hex Insert Bits  
For use in all Drywall Drivers.



Part No.	Overall Length	Hex Size	Shank Size
83552	2-7/8"	1/4"	1/4"

## 1/4" Hex Shank

## Phillips-Slotted Combo Bit



Part No.	Overall Length
83555	1-1/2"

## Torx Bits



Part No.	Overall Length	Point Size	Shank Size
88599	1"	T-10	1/4"
88600	1"	T-15	1/4"
88601	1"	T-20	1/4"
88602	1"	T-25	1/4"
88604	1"	T-27	1/4"
88608	1"	T-30	1/4"
88610	1"	T-40	1/4"
88612	1"	T-40	5/16"
88614	1"	T-45	5/16"
88616	1"	T-50	5/16"
88617	1"	T-55	5/16"

## Phillips and Slotted Bits



Part No.	Point Size	Overall Length	Shank Size	Style	Brand
83510	P-1	1"	1/4"	Phillips	
83511	P-2	1"	1/4"	Phillips	
83512	P-3	1"	1/4"	Phillips	
83515	#10	1-1/2"	1/4"	Slotted	
83516	#10	1"	1/4"	Slotted	
83519	P-2	1-15/16"	1/4"	Phillips	
83520	P-3	1-15/16"	1/4"	Phillips	
83524	P-2	6"	1/4"	Phillips	
83525	P-2	6"	1/4"	Phillips	Apex
83526	5/16"	6"	1/4"	Slotted	

# ACCESSORIES

## Square Recess Power Bits



Part No.	Point Size	Overall Length	Shank Size
88641	1	1-15/16"	1/4"
88642	2	1-15/16"	1/4"
88643	3	1-15/16"	1/4"
88654	2	6"	1/4"

## Square Drive Bit



Use with woodex screws.

Part No.	Size
88164	#2

## Spanner Bits



Part No.	Point Size	Overall Length	Shank Size
88660	#8	1"	1/4"
88661	#10	1"	1/4"
88663	1/4"	1-1/2"	5/16"

## Torx-Pin Bits



Part No.	Point Size	Overall Length	Shank Size
88670	T10H	1"	1/4"
88671	T15H	1"	1/4"
88672	T20H	1"	1/4"
88673	T25	1"	1/4"

## 88680 Non-Magnetic 4 in 1 Quick Change Screwdriver

